Contents Volume 73, 1989

Palaeogeography and palaeoenvironments of a tropical coastal wetland and offshore shelf during Holocene submergence, Jamaica
M. Hendry (Kingston, Jamaica) and G. Digerfeldt (Lund, Sweden) 1
Late Pleistocene and Holocene aeolian dust deposition in North China and the Northwest Pacific Ocean
K. Pye (Reading, Great Britain) and Li-Ping Zhou (Cambridge, Great Britain) 11
Vegetation and climate during the last 30,000 years in Ladakh
A. Bhattacharyya (Lucknow, India) 25
Foraminiferal zonations on the Fraser River delta and their application to paleoenvironmental interpretations
H. F. L. Williams (Denton, TX, U.S.A.) 39
Les mégafaunes marines du Messinien de Melilla (nord-est Maroc) [Marine megafaunas of the Messinian from Melilla (northeast Morocco)]
A. Ben Moussa (Tetouan, Maroc), K. El Hajjaji (Tetouan, Maroc), S. Pouyet (Villeurbanne, France), and G. Demarcq (Villeurbanne, France) 51
Ostracod faunas in a large Late Pleistocene ice-dammed lake, southern Ontario, Canada
M. A. Rutka and N. Eyles (West Hill, Ont., Canada) 61
A sauropod skeleton associated with theropod teeth in the Upper Jurassic of Thailand: remarks on the taphonomic and palaeoecological significance of such associations
E. Buffetaut (Paris, France) and V. Suteethorn (Bangkok, Thailand) 77
Late Quaternary paleochemistry of high-latitude surface waters
L. D. Keigwin (Woods Hole, MA, U.S.A.) and E. A. Boyle (Cambridge, MA, U.S.A.) 85
A paleoceanographic model for the early evolutionary history of planktonic foraminifera
R. M. Leckie (Amherst, MA, U.S.A.) 107
Paléoenvironnements et dynamique de faunes de Trilobites dans l'Ordovicien (Llanvirn Supérieur—Caradoc basal) du Massif Armoricain (France) [Palaeoenvironments and trilobite fauna dynamics in the Ordovician (Upper Llanvirn—early Caradoc) of the Armorican Massif (France)]
J.-L. Henry (Rennes, France) 139
Postglacial palaeoecology of the subalpine forest — grassland ecotone of southwestern Alberta: new insights on vegetation and climate change in the Canadian Rocky Mountains and adjacent foothills
G. M. MacDonald (Hamilton, Ont., Canada) 155
Fossil predaceous gastropod borings from Nigeria
I. Arua (Nsukka, Nigeria) and M. Hoque (Elizabeth, Pa., U.S.A.) 175
The potential of Paleozoic nonmarine trace fossils for paleoecological interpretations
C. G. Maples (Lawrence, KS, U.S.A.) and A. W. Archer (Bloomington, IN, U.S.A.) 185
Significance of ring porosity in analysis of a Sangamon flora
D. W. Woodcock (Lincoln, NE, U.S.A.) 197
Depositional controls on glacial facies associations in a basinal setting, Late Proterozoic, Amadeus Basin, Central Australia
J. F. Lindsay (Canberra, ACT, Australia) 205
The Basal Shaly Formation of the Iberian Pyrite Belt (South-Portuguese Zone): Early Carboniferous bituminous deposits
C. Moreno (Huelva, Spain) and L. Sequeiros (Jaén, Spain) 233
Stable isotope, TOC and $CaCO_3$ record across the Cretaceous/Tertiary boundary at El Kef, Tunisia
G. Keller (Princeton, NJ, U.S.A.) and M. Lindinger (Zurich, Switzerland) 243
The Plio-Pleistocene geologic and climatic record of the Kashmir valley, India: a review and new data
D. P. Agrawal (Ahmedabad, India), R. Dodia (Ahmedabad, India), B. S. Kotlia (Bonn, F.R.G.), H. Razdan (Srinagar, India) and A. Sahni (Chandigarh, India) 267
Petralona cave within Lower–Middle Pleistocene sites
N. A. Poulianos (Athens, Greece) 287
Fossil bird study, and paleoecological and paleoenvironmental consequences: example from the Saint-Gérand-Le-Puy deposits (Lower Miocene, Allier, France)
J. Cheneval (Villeurbanne, France) 295
Biogenic faecal pellet mounds in Quaternary miliolites of Saurashtra, India
A. Chakrabarti (Kharagpur, India) and M. Baskaran (Galveston, TX, U.S.A.) 311

Erratum 317